


MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

(Land Document, 7/12 Extracts, Title Verification, Building Deed, Building Approved Final plan by Corporation/Municipal Council, Hospital, College Architect Certified Rooms sizes (Dimensions)
Constructed Area – College Hospital, Hostel, Accommodation)


INFRASTRUCTURE

SN	Particulars to be verified	Details on College Website	Adequate/ Inadequate
COLLEGE			
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building (Minimum 5 acres of land)		Adequate
	a) Dean's room	Yes	Adequate
	b) Administrative Officers' room		
	c) Meeting room		
	d) Office		
	e) Office Stores		
	f) Pantry etc.		
3	Library: 8000Sq. Ft. consisting of :		Adequate
	a) Reception & waiting, Property counter	Yes	Adequate
	b) Issue counter		
	c) Photocopying area		
	d) Reading room to accommodate 50% of total students strength		
	e) Postgraduates & staff reading room		
	f) Journal room		
	g) Audio-visual room		
	h) Chief librarian room		
	i) Stores and stocking area		
	j) E-Consortium provision to be provided in the College Library connected with the National Medical Library		
4	Lecture Halls – 4 6430Sq. Ft. Each hall to accommodate 10% more of admission strength with proper seating arrangement, blackboard, microphone and facilities for slide, overhead and multi-media projection.	Yes	Adequate
5	Central Stores 850 Sq. Ft. With proper storing facilities like racks and refrigerator, preferably compact storage systems.	Yes	Adequate
6	Maintenance room: 1010 Sq. Ft. Equipped with proper facilities to maintain and repair dental chairs and units and various other equipments in the college and hospital.	Yes	Adequate
7	Photography and artist room: 405 Sq. Ft. With proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc.	Yes	Adequate


DEAN
Dr. D. D. Dandekar
Dean, Maharashtra University of Health Sciences, Nashik

8	Medical stores		302 Sq. Ft.	Yes	Adequate
	Stocked with all the necessary drugs usually prescribed in a dental hospital.				
9	Amenities area		3235 Sq. Ft.		Adequate
	a)	Boys' and Girls' locker rooms		Yes	Adequate
	b)	Boys' and Girls' common rooms		Yes	Adequate
	c)	Common room for non-teaching staff		Yes	Adequate
	d)	Common room for teaching staff		Yes	Adequate
	e)	Change room for men		Yes	Adequate
	f)	Change room for women		Yes	Adequate
10	Compressor and room for gas plant:		310Sq. Ft.	Yes	Adequate
	Adequate to accommodate required capacity compressors, gas cylinders etc.				
11	Pollution control measures:			Yes	Adequate
	All the dental institutions shall take adequate pollution control measures by providing incineration plant, sewage water treatment plant, landscaping of the campus etc.				
12	Cafeteria		1560 Sq. Ft.	Yes	Adequate
	With accommodation for 100 people with kitchen, stores, washing area etc.				
13	University Examination Infrastructure:			Yes	Adequate
	Examination Hall		3600 Sq. Ft.	Yes	Adequate
	A separate hall for university and other examination furnished with chairs and individual tables to accommodate 250 students at a time.				
	Strong Room:			Yes	Adequate
	Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility				
14	Hostels:			Yes	Adequate
	Hostel accommodation shall be provided for all boys and girls based on number of admissions in the Dental College campus itself. The accommodation may be increased in a phased manner over a period of 4 years.				
	Staff quarters:			Yes	Adequate
	All the staff members, teaching and non-teaching working in the institution shall be provided adequate accommodation in the 5 acres land earmarked for the college. The staff quarters may be built in a phased manner over a period of 4 years.				
15	Play ground:			Yes	Adequate
	There shall be facilities for both indoor and out-door games in the premises.				
16	Auditorium:			Yes	Adequate
	Should accommodate at least 500 people and consisting of: Proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility.				
HOSPITAL					
17	i)	Own Hospital:		Yes	Owned
	ii)	O.P.D.		100 -104 Patients / Day	Adequate
	iii)	I.P.D.		41 - 43 Patients / Day	Adequate
	iv)	Bed Strength		100 Beds	Adequate
	v)	Annual Occupancy		15000	Adequate
	vi)	ICCU Bed Strength		06	Adequate
	vii)	Laboratories		01	Adequate
	viii)	Casualty Department		Yes Available	Adequate
	ix)	Equipment's		Yes Available	Adequate

	x)	Paramedical Staff	Yes Available	Adequate
	xi)	Space	Yes	Adequate
	xii)	Student: Patient Ratio	Yes	Adequate
18		Laboratories:		
		I. Dental subjects:		
	a)	Pre-clinical Prosthodontics and dental material lab – 3000 Sq. Ft.	Yes	Adequate
	b)	Pre-clinical Conservative lab 2520 Sq. Ft.	Yes	Adequate
	c)	Oral biology and oral pathology lab 2515 Sq. Ft.	Yes	Adequate
	d)	Laboratory for Orthodontics and paedodontics 1550 Sq. Ft.	Yes	Adequate
		II. Medical Subjects: (only for independent dental colleges): Sq. Ft.		
	a)	Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area 2550 Sq. Ft.	Yes	Adequate
	b)	One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. Area 2560 Sq. Ft.	Yes	Adequate
	c)	Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects 2520 Sq. Ft.	Yes	Adequate
		III. Clinical:		
	a)	Prosthodontics – Plaster room Polymer room Wax room Casting laboratory Ceramic lab Total Area 3029Sq. Ft.	Yes	Adequate
	b)	Conservative Dentistry – Plaster room Casting & Ceramic laboratories Total Area 2520Sq. Ft.	Yes	Adequate
	c)	Oral pathology for histopathology Total Area 2515Sq. Ft..	Yes	Adequate
	d)	Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis Total Area 303Sq. Ft.	Yes	Adequate
		Distilled Water Plant		
19		Medical College Attachment	Not Applicable	
	a)	Own Medical College?	No	
	b)	Private Medical College?	No	
	c)	Govt. Medical College?	No	
	d)	Name & address of the Medical College		
	e)	E-mail address & contact number		
	f)	Is the Medical College duly recognized by Medical Council of India?	No	
	g)	Distance from Dental college to Medical college by road (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	No	
	h)	Whether MOU is signed by competent Authorities between Medical and Dental College for teaching purpose?	No	
	i)	Validity Period of MOU		
	j)	Whether the above mentioned Medical College is attached to any other Dental College other than the proposed dental college?	Not Applicable	
	k)	GOI Notification No. & Dated		


DEAN
Dr. Parul Dadasaheb Katwagh Smruti
College & Hospital

Requirement of the 100 bedded General Hospital for clinical teaching of BDS students drawn up in accordance with the parameters prescribed by BIS/NABH (applicable if Medical College is more than 10 kms away).			
a)	Own Hospital?	Yes	
b)	Medical College Hospital?	No	
c)	Private College Hospital?	No	
d)	Govt. General Hospital?	No	
e)	Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes	Available
f)	Name & address of the Hospital Swargiya Dadasaheb Kalmegh Smruti Dental College & Hospital, Wanadongri Road, Hingna, Dist- Nagpur - 441110		
g)	Name of the CMO with Tel No. & Mobile No.: Dr. Manisha Nagdive /7709188438		
h)	Name of the Issuing Competent Authority: District Health Officer, Zilla Parishad, Nagpur		
i)	Distance of the hospital from the Dental College by road (please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	within the premises.	

Total number of beds in Hospital: 100

Category-wise bed distribution:

Department	Required	Alloted	Occupancy		Remarks of the Inspector
			During last 6 months	On the day of inspection	
General Ward – Medical including allied specialties	30	30	40 to 42 patients Per Day	-	-
General Ward – Surgical including allied specialties	30	30			
Private Ward (A/C Non A/C	9	9			
Maternity Ward	15	15			
Pediatric Ward	6	6			
Intensive Care Services (4% of bed strength)	4	4			
Critical Care Services (6% of bed strength)	6	6			

Area Requirements (As per BIS/NABH)

	Required	Available
Covered Area	20 sq.m. / bed	Available
Inpatient Services	40%	Available
Outpatient Services	35%	Available
Department and supportive services	25%	Available



Dean / Principal Stamp & Signature

DEAN
Swargiya Dadasaheb Kalmegh Smruti
Dental College & Hospital
Hingna, Dist. Nagpur.