MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

(Land Document, 7/12 Extracts, Title Verification, Building Deed, Building Approved Final plan by Corporation/Municipal Council, Hospital, College Architect Certified Rooms sizes (Dimensions)

Constructed Area – College Hospital, Hostel, Accommodation)

INFRASTRUCTURE

SN	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	COLLEGE		
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 ext of all land (Applicable only to Private Colleges). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University).	· Yes	Adequate
2	Total constructed area of college building (Minimum 5 acres of land)		Adequate
	a) Dean's room b) Administrative Officers' room c) Meeting room d) Office e) Office Stores	Yes	Adequate
_	f) Pantry etc.		
	Library: 8000Sq. Ft. consisting a) Reception & waiting, Property counter b) Issue counter c) Photocopying area d) Reading room to accommodate 50% of total students strength e) Postgraduates & staff reading room f) Journal room g) Audio-visual room h) Chief librarian room i) Stores and stocking area j) E-Consortium provision to be provided in the College Library connewith the National Medical Library Lecture Halls – 4 6430Sq	Yes ected	Adequate Adequate
5	Each hall to accommodate 10% more of admission strength with proper seating arrangement, blackboard, microphone and facilities for slide, overhead and multi-media projection. Central Stores 850 Sq.	Yes .	Adequate
6	With proper storing facilities like racks and refrigerator, preferably compact storage systems. Maintenance room: 1010 Sq.		Adequate
	Equipped with proper facilities to maintain and repair dental chairs and units and various other equipments in the college and hospital.	t	
7	Photography and artist room: 405 Sq. With proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc.	Ft. Yes	Adequate

8 ,	M	edical stores 302 Sq. Ft.	Voc	Adequate		
	Sto	ocked with all the necessary drugs usually prescribed in a dental hospital.	Yes			
9	Ar	menities area 3235 Sq. Ft.		Adequate		
	a)	Boys' and Girls' locker rooms	Yes	Adequate		
	b)	Boys' and Girls' common rooms	Yes	Adequate		
	c)	Common room for non-teaching staff	Yes	Adequate		
	d)	Common room for teaching staff	Yes	Adequate		
	e)	Change room for men	Yes	Adequate		
	f)	Change room for women	Yes	Adequate		
10	Co	mpressor and room for gas plant: 310Sq. Ft.				
	Ad etc	equate to accommodate required capacity compressors, gas cylinders	Yes	Adequate		
11	Po	llution control measures:	Yes	Adequate		
	pro	the dental institutions shall take adequate pollution control measures by oviding incarnation plant, sewage water treatment plant, landscaping of e campus etc.				
12	Ca	feteria 1560 Sq. Ft.	Yes	Adequate		
	Wi	th accommodation for 100 people with kitchen, stores, washing area etc.				
13		iversity Examination Infrastructure:	Yes	Adequate		
	Exa	amination Hall 3600 Sq. Ft.				
		eparate hall for university and other examination furnished with chairs dindividual tables to accommodate 250 students at a time.	Yes	Adequate		
	Str - 1	ong Room: ong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard , d) CCTV, Photocopier Machine, Examination hall with benches, Parking illity for University vehicle, Guest house facility	Yes	Adequate		
14	Ho: nur acc	stels: stel accommodation shall be provided for all boys and girls based on mber of admissions in the Dental College campus itself. The ommodation may be increased in a phased manner over a period of 4	Yes	Adequate		
	yea	ff quarters:				
	All sha	the staff members, teaching and non-teaching working in the institution II be provided adequate accommodation in the 5 acres land earmarked the college. The staff quarters may be built in a phased manner over a iod of 4 years.	Yes	Adequate		
15		y ground:	Yes	Adequate		
	The	re shall be facilities for both indoor and out-door games in the premises.				
16	Aud	litorium:		= 1		
	Pro	uld accommodate at least 500 people and consisting of: per seating arrangements, reception counter, green rooms, lobby, fitted n sound system, slide and multimedia presentation facility.	Yes	Adequate		
		HOSPITAL				
17	i)	Own Hospital:	Yes	Owned		
	ii)	O.P.D.	100-105	Adequate		
			Patients / Day			
	iii)	I.P.D.	40-45 Patients / Day	Adequate		
- 1	iv)	Bed Strength	100 Beds	Adequate		
	v)	Annual Occupancy	15006	Adequate		
	vi)	ICCU Bed Strength	06	Adequate		
	vii)	Laboratories	k 01	Adequate		
	viii)	Casualty Department	Yes Available	Adequate		
	ix)	Equipment's DEAL	Yes Àvailable	Adequate		

x)	, Paramedical Staff	Yes Available	Adequate
xi)	Space	Yes	Adequate
xii)	Student: Patient Ratio	Yes	Adequate
	Laboratories:		
	I. Dental subjects:		
a)	Pre-clinical Prosthodontics and dental material lab – 3000 Sq. Ft.	Yes	Adequate
b)	Pre-clinical Conservative lab 2520 Sq. Ft.	Yes	Adequate
c)	Oral biology and oral pathology lab 2515 Sq. Ft.	Yes	Adequate
d)	Laboratory for Orthodontics and paedodontics 1550 Sq. Ft.	Yes	Adequate
	II. Medical Subjects: (only for independent dental colleges):		
a)	Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area 2550 Sq. Ft.	Yes	Adequate
b)	One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it. Area 2560 Sq. Ft.	Yes	Adequate
c)	Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects 2520 Sq. Ft.	Yes	Adequate
	III. Clinical:		
a)	Prosthodontics –	Yes	Adequat
	Plaster room		91
	Polymer room		
	Wax room		
	Casting laboratory Ceramic lab Total Area 3029Sq. Ft.		
b)	Conservative Dentistry – Plaster room	Yes	A doguate
5)	Casting & Ceramic laboratories Total Area 2520Sq. Ft.	165	Adequate
c)	Oral pathology for histopathology Total Area 2515Sq. Ft	Yes	Adequate
d)	Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis Total Area 303Sq. Ft.	Yes	Adequate
	Distilled Water Plant		
	Medical College Attachment	Not	
2)	Own Medical College?	Applicable	
a) b)	Private Medical College?	No	
c)	Govt. Medical College?	No	
d)	Name & address of the Medical College	No	
uj	Marile & address of the Medical College		
e)	E-mail address & contact number	No	
e) f)	E-mail address & contact number	No	
e) f) g)	E-mail address & contact number	No No	
e) f) g)	E-mail address & contact number	**************************************	æ
e) f) g) h)	E-mail address & contact number	· No	
e) f) g) h) i)	E-mail address & contact number	· No	N. anos

Rec	quirement of the 100 bedded General Hospital for clinical teaching of BDS		
	dents drawn up in accordance with the parameters prescribed by		
BIS	/NABH (applicable if Medical College is more than 10 kms away).		
a)	Own Hospital?	Yes	
b)	Medical College Hospital?	No	
c)	Private College Hospital?	No	
d)	Govt. General Hospital?	No	
e)	Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes	Available
f)	Name & address of the Hospital Swargiya Dadasaheb Kalmegh Smruti Dental College & Hospital, Wanadongri Road, Hingna, Dist- Nagpur - 441110		
g)	Name of the CMO with Tel No. & Mobile No.: Dr. Manisha Nagdive /7709188438		
h)	Name of the Issuing Competent Authority: District Health Officer, Zilla Parishad, Nagpur		
i)	Distance of the hospital from the Dental College by road (please clarify as to whether you have physically verified /taking thereading of Taxi/Car Meter) by ticking yes or no	within the premises.	

Total number of beds in Hospital: 100

Category-wise bed distribution:

			Occupancy		Remarks
Department	Required	Alloted	During last 6 months	On the day of inspection	of the
General Ward – Medical including allied specialities	30	30			
General Ward – Surgical including allied specialities	30	30	40 to 42		
Private Ward (A/C Non A/C	9	9	patients Per		
Maternity Ward	15	15	Day	-	
Pediatric Ward	6	6			
Intensive Care Services (4% of bed strength)	4	4			
Critital Care Services (6% of bed strength)	6	6			

Area Requirements (As per BIS/NABH)

Required	Available
20 sq.m. / bed	Available
40%	Available
35%	Available
25%	Available
	20 sq.m. / bed 40% 35%

Dean / Principal Stamp & Signature

DEAN

warghe Dedssaheb Kalangh Smruff Denial Callege & Hespital Histori, Str. Kagasr